according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BASIC WIT-PM 200 - 300 ML (comp. B)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.02.2025

 20.2
 19.03.2025
 10622844-00020
 Date of first issue: 18.04.2013

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : BASIC WIT-PM 200 - 300 ML (comp. B)

Product code : 5918242300

Unique Formula Identifier

(UFI)

: WHM0-20F6-R00A-0YQW

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Sub- : Hardener

stance/Mixture Professional use product

Recommended restrictions

on use

: Not applicable

1.3 Details of the supplier of the safety data sheet

Company : Adolf Wuerth GmbH & Co. KG

Reinhold-Würth-Str. 12-17

74653 Künzelsau

Telephone : +49 794015 0

Telefax : +49 794015 10 00

E-mail address of person

responsible for the SDS

: isi@wuerth.com

1.4 Emergency telephone number

+49 (0)6132 - 84463

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin sensitisation, Category 1 H317: May cause an allergic skin reaction.

Eye irritation, Category 2 H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BASIC WIT-PM 200 - 300 ML (comp. B)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.02.2025

 20.2
 19.03.2025
 10622844-00020
 Date of first issue: 18.04.2013

Hazard pictograms :

Signal word : Warning

Hazard statements : H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

Precautionary statements : Prevention:

P261 Avoid breathing dust/ fume/ gas/ mist/ vapours/

spray.

P280 Wear protective gloves/ eye protection/ face pro-

tection.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical

advice/ attention.

P337 + P313 If eye irritation persists: Get medical advice/

attention.

P362 + P364 Take off contaminated clothing and wash it

before reuse.

Disposal:

P501 Dispose of contents/ container to an approved

waste disposal plant.

Hazardous components which must be listed on the label:

Dibenzoyl peroxide

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information: The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No.	Classification	Concentration
	EC-No.		(% w/w)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BASIC WIT-PM 200 - 300 ML (comp. B)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.02.2025

 20.2
 19.03.2025
 10622844-00020
 Date of first issue: 18.04.2013

	Index-No. Registration number		
Dibenzoyl peroxide	94-36-0 202-327-6 617-008-00-0 01-2119511472-50	Org. Perox. B; H241 Eye Irrit. 2; H319 Skin Sens. 1; H317 Aquatic Acute 1; H400 Aquatic Chronic 1; H410 ———— M-Factor (Acute aquatic toxicity): 10 M-Factor (Chronic aquatic toxicity): 10	>= 10 - < 20

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : In the case of accident or if you feel unwell, seek medical ad-

vice immediately.

When symptoms persist or in all cases of doubt seek medical

advice.

Protection of first-aiders : First Aid responders should pay attention to self-protection,

and use the recommended personal protective equipment when the potential for exposure exists (see section 8).

If inhaled : If inhaled, remove to fresh air.

Get medical attention if symptoms occur.

In case of skin contact : In case of contact, immediately flush skin with plenty of water.

Remove contaminated clothing and shoes.

Get medical attention. Wash clothing before reuse.

Thoroughly clean shoes before reuse.

In case of eye contact : In case of contact, immediately flush eyes with plenty of water

for at least 15 minutes.

If easy to do, remove contact lens, if worn.

Get medical attention.

If swallowed : If swallowed, DO NOT induce vomiting.

Get medical attention if symptoms occur. Rinse mouth thoroughly with water.

4.2 Most important symptoms and effects, both acute and delayed

Risks : May cause an allergic skin reaction.

Causes serious eye irritation.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BASIC WIT-PM 200 - 300 ML (comp. B)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.02.2025

 20.2
 19.03.2025
 10622844-00020
 Date of first issue: 18.04.2013

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : Treat symptomatically and supportively.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Water spray

Alcohol-resistant foam Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

5.2 Special hazards arising from the substance or mixture

Specific hazards during fire-

fighting

: Exposure to combustion products may be a hazard to health.

Hazardous combustion prod- :

ucts

Carbon oxides Metal oxides Silicon oxides

5.3 Advice for firefighters

Special protective equipment:

for firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

Specific extinguishing meth-

ods

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment. Use water spray to cool unopened containers.

Remove undamaged containers from fire area if it is safe to do

so

Evacuate area.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

Follow safe handling advice (see section 7) and personal pro-

tective equipment recommendations (see section 8).

6.2 Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent further leakage or spillage if safe to do so. Retain and dispose of contaminated wash water.

Local authorities should be advised if significant spillages

cannot be contained.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BASIC WIT-PM 200 - 300 ML (comp. B)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.02.2025

 20.2
 19.03.2025
 10622844-00020
 Date of first issue: 18.04.2013

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material.

For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absor-

bent.

Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to deter-

mine which regulations are applicable.

Sections 13 and 15 of this SDS provide information regarding

certain local or national requirements.

6.4 Reference to other sections

See sections: 7, 8, 11, 12 and 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Technical measures : See Engineering measures under EXPOSURE

CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : Use only with adequate ventilation.

Advice on safe handling : Do not breathe decomposition products.

Do not get on skin or clothing.

Avoid breathing dust, fume, gas, mist, vapours or spray.

Do not swallow. Do not get in eyes.

Wash skin thoroughly after handling.

Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure as-

sessmen

Take care to prevent spills, waste and minimize release to the

environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye

flushing systems and safety showers close to the working place. When using do not eat, drink or smoke. Contaminated work clothing should not be allowed out of the workplace.

Wash contaminated clothing before re-use.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers

Keep in properly labelled containers. Store in accordance with

the particular national regulations.

Advice on common storage : Do not store with the following product types:

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BASIC WIT-PM 200 - 300 ML (comp. B)

Version Revision Date: SDS Number: Date of last issue: 24.02.2025 20.2 19.03.2025 10622844-00020 Date of first issue: 18.04.2013

Strong oxidizing agents

: 11 Storage class (TRGS 510)

Storage period 9 Months

Recommended storage tem- : 5 - 25 °C

perature

7.3 Specific end use(s)

: No data available Specific use(s)

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

Components	CAS-No.	Value type (Form of exposure)	Control parameters	Basis
Dibenzoyl peroxide	94-36-0	AGW (Inhalable fraction)	4 mg/m3	DE TRGS 900
	Peak-limit: excursion factor (category): 4;(II)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
		MAK (measured as the alveolate fraction)	1 mg/m3	DE DFG MAK
	Peak-limit: ex	cursion factor (categ	ory): 2; I	
	Further inform	nation: Damage to th	e embryo or foetus is unlikely	when the
	MAK value or	the BAT value is ob	served	
		MAK (inhalable fraction)	4 mg/m3	DE DFG MAK
	Peak-limit: excursion factor (category): 2; I Further information: Damage to the embryo or foetus is unlikely when the			
	MAK value or	the BAT value is ob-		
		AGW (Alveolate fraction)	1 mg/m3	DE TRGS 900
	Peak-limit: ex	cursion factor (categ	ory): 4;(II)	
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
Glycerine	56-81-5	AGW (Inhalable fraction)	200 mg/m3	DE TRGS 900
	Peak-limit: excursion factor (category): 2;(I)			
	Further information: When there is compliance with the OEL and biological tolerance values, there is no risk of harming the unborn child			
		MAK (inhalable fraction)	200 ppm	DE DFG MAK
	Peak-limit: excursion factor (category): 2; I			
	Further information: Damage to the embryo or foetus is unlikely when the MAK value or the BAT value is observed			

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BASIC WIT-PM 200 - 300 ML (comp. B)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.02.2025

 20.2
 19.03.2025
 10622844-00020
 Date of first issue: 18.04.2013

Aluminum hydrox-	21645-51-2	AGW (Inhalable fraction)	10 mg/m3	DE TRGS 900		
140	Peak-limit: excursion factor (category): 2;(II)					
	Further information: When there is compliance with the OEL and biological					
	tolerance values, there is no risk of harming the unborn child					
		AGW (Alveolate fraction)	1,25 mg/m3	DE TRGS 900		
	Peak-limit: ex	cursion factor (categ	ory): 2;(II)			
			s compliance with the OEL ar	nd biological		
	tolerance valu	ies, there is no risk o	of harming the unborn child			
		MAK (Alveolar	0,05 mg/m3	DE DFG MAK		
		dust fraction)				
	Peak-limit: excursion factor (category): 8; II					
	Further information: Substances that cause cancer in humans or animals or that are considered to be carcinogenic for humans and for which a MAK value can be derived., Either there are no data for an assessment of damage to the					
	embryo or foetus, including developmental neurotoxicity, or the currently					
	available data		r classification in one of the g			
		MAK (Dust,	0,5 mg/m3	DE DFG MAK		
		measured as the				
		inhalable frac-				
	tion)					
	Peak-limit: excursion factor (category): 8; II					
	Further information: Substances that cause cancer in humans or animals or that are considered to be carcinogenic for humans and for which a MAK value can be derived., Either there are no data for an assessment of damage to the embryo or foetus, including developmental neurotoxicity, or the currently available data are not sufficient for classification in one of the groups A - C					

Occupational exposure limits of decomposition products

Components	CAS-No.	Value type (Form	Control parameters	Basis
		of exposure)		
Benzoic acid	65-85-0	AGW (Vapour	0,1 ppm	DE TRGS
		and aerosols)	0,5 mg/m3	900
	Peak-limit: ex	cursion factor (categ	ory): 4;(II)	
	Further inform	nation: Skin absorption	on, When there is compliance	e with the OEL
	and biological	tolerance values, th	ere is no risk of harming the	unborn child
		MAK (measured	0,1 ppm	DE DFG MAK
		as the alveolate	0,5 mg/m3	
		fraction)		
	Peak-limit: excursion factor (category): 4; II			
	Further information: Danger of absorption through the skin, Damage to the			
	embryo or foetus is unlikely when the MAK value or the BAT value is ob-			
	served			
		MAK (inhalable	0,39 ppm	DE DFG MAK
		fraction)	2 mg/m3	
	Peak-limit: excursion factor (category): 4; II			
	Further information: Danger of absorption through the skin, Damage to the			
	embryo or foetus is unlikely when the MAK value or the BAT value is ob-			
	served			
Benzene	71-43-2	TWA	0,5 ppm	2004/37/EC

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BASIC WIT-PM 200 - 300 ML (comp. B)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.02.2025

 20.2
 19.03.2025
 10622844-00020
 Date of first issue: 18.04.2013

1	1	1		
		1,65 mg/m3		
Further i	Further information: Skin, Carcinogens or mutagens			
sumed to Substan of huma	Further information: Substances that cause cancer in man and can be assumed to contribute to cancer risk, Danger of absorption through the skin, Substances which have been shown to induce genetic damage in germ cells of humans or animals, or which produce mutagenic effects in somatic cells of mammals in vivo and have been shown to reach the germ cells in an active			
	Tolerable con- centration	0,6 ppm 1,9 mg/m3	DE TRGS 910	
	Peak-limit: excursion factor (category): 8 - Excursion factor according to Number 3.2.6			
Further i	nformation: Skin-resorptiv	ve		
	Acceptable con- centration	0,06 ppm 0,2 mg/m3	DE TRGS 910	
Further i	Further information: Skin-resorptive			
cinogeni	Further information: Substances that cause concern that they could be carcinogenic for man but cannot be assessed conclusively because of lack of data, Danger of absorption through the skin			

Derived No Effect Level (DNEL) according to Regulation (EC) No. 1907/2006

Substance name	End Use	Exposure routes	Potential health effects	Value
1,2- Cyclohexanedicar- boxylic acid, 1,2- diisononyl ester	Workers	Inhalation	Long-term systemic effects	35 mg/m3
	Workers	Skin contact	Long-term systemic effects	41 mg/kg bw/day
	Consumers	Inhalation	Long-term systemic effects	21 mg/m3
	Consumers	Skin contact	Long-term systemic effects	25 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	2 mg/kg bw/day
Dibenzoyl peroxide	Workers	Inhalation	Long-term systemic effects	39 mg/m3
	Workers	Skin contact	Long-term systemic effects	13,3 mg/kg bw/day
	Workers	Skin contact	Long-term local effects	0,034 mg/cm2
	Consumers	Ingestion	Long-term systemic effects	2 mg/kg bw/day
Glycerine	Workers	Inhalation	Long-term local ef- fects	56 mg/m3
	Consumers	Ingestion	Long-term systemic effects	229 mg/kg bw/day
	Consumers	Inhalation	Long-term local ef- fects	33 mg/m3
Benzoic acid, C9-11- branched alkyl esters	Workers	Inhalation	Long-term systemic effects	181 mg/m3
	Workers	Skin contact	Long-term systemic	206 mg/kg

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BASIC WIT-PM 200 - 300 ML (comp. B)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.02.2025

 20.2
 19.03.2025
 10622844-00020
 Date of first issue: 18.04.2013

			effects	bw/day
	Consumers	Inhalation	Long-term systemic effects	53 mg/m3
	Consumers	Skin contact	Long-term systemic effects	29 mg/kg bw/day
	Consumers	Ingestion	Long-term systemic effects	15,48 mg/kg bw/day
Aluminum hydroxide	Workers	Inhalation	Long-term local ef- fects	10,76 mg/m3
	Workers	Inhalation	Long-term local ef- fects	10,76 mg/m3
	Consumers	Ingestion	Long-term systemic effects	4,74 mg/kg bw/day

Predicted No Effect Concentration (PNEC) according to Regulation (EC) No. 1907/2006

Substance name	Environmental Compartment	Value
1,2-Cyclohexanedicarboxylic	Soil	44,7 mg/kg dry
acid, 1,2-diisononyl ester		weight (d.w.)
Dibenzoyl peroxide	Fresh water	0,02 μg/l
	Marine water	0,002 µg/l
	Intermittent use/release	0,602 µg/l
	Sewage treatment plant	0,35 mg/l
	Fresh water sediment	0,013 mg/kg
	Marine sediment	0,001 mg/kg
	Soil	0,003 mg/kg
Glycerine	Fresh water	0,885 mg/l
	Marine water	0,0885 mg/l
	Intermittent use/release	8,85 mg/l
	Sewage treatment plant	1000 mg/l
	Fresh water sediment	3,3 mg/kg dry
	Marine sediment	weight (d.w.)
	Marine Sediment	0,33 mg/kg dry
	Soil	weight (d.w.)
	5011	0,141 mg/kg dry
December 1 00 44 Leave Lea	Food at a Parat	weight (d.w.)
Benzoic acid, C9-11-branched	Fresh water sediment	0,065 mg/kg dry
alkyl esters		weight (d.w.)
	Oral (Secondary Poisoning)	6667 mg/kg food

8.2 Exposure controls

Engineering measures

Processing may form hazardous compounds (see section 10). Ensure adequate ventilation, especially in confined areas. Minimize workplace exposure concentrations.

Personal protective equipment

Eye/face protection : Wear the following personal protective equipment:

Safety goggles

Equipment should conform to DIN EN 166

Hand protection

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BASIC WIT-PM 200 - 300 ML (comp. B)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.02.2025

 20.2
 19.03.2025
 10622844-00020
 Date of first issue: 18.04.2013

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : 0,5 mm

Guideline : Equipment should conform to DIN EN 374

Remarks : Choose gloves to protect hands against chemicals depending

on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Skin and body protection : Select appropriate protective clothing based on chemical

resistance data and an assessment of the local exposure

potential.

Skin contact must be avoided by using impervious protective

clothing (gloves, aprons, boots, etc).

Respiratory protection : If adequate local exhaust ventilation is not available or expo-

sure assessment demonstrates exposures outside the rec-

ommended guidelines, use respiratory protection. Equipment should conform to DIN EN 14387

Filter type : Combined particulates and organic vapour type (A-P)

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state : paste

Colour : black

Odour : characteristic

Odour Threshold : No data available

Melting point/freezing point : No data available

Initial boiling point and boiling :

range

No data available

Flammability (solid, gas) : Not classified as a flammability hazard

Upper explosion limit / Upper

flammability limit

Not applicable

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BASIC WIT-PM 200 - 300 ML (comp. B)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.02.2025

 20.2
 19.03.2025
 10622844-00020
 Date of first issue: 18.04.2013

Lower explosion limit / Lower

flammability limit

Not applicable

Flash point : Not applicable

Auto-ignition temperature : Not applicable

Decomposition temperature : No data available

pH : substance/mixture is non-soluble (in water)

Viscosity

Viscosity, kinematic : Not applicable

Solubility(ies)

Water solubility : insoluble

Partition coefficient: n-

octanol/water

Not applicable

Vapour pressure : Not applicable

Relative density : No data available

Density : 1,59 g/cm³ (20 °C)

Relative vapour density : Not applicable

Particle characteristics

Particle size : No data available

9.2 Other information

Explosives : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BASIC WIT-PM 200 - 300 ML (comp. B)

Version Revision Date: SDS Number: Date of last issue: 24.02.2025 20.2 19.03.2025 10622844-00020 Date of first issue: 18.04.2013

Evaporation rate : Not applicable

Available oxygen content : < 0,74 %

SECTION 10: Stability and reactivity

10.1 Reactivity

Not classified as a reactivity hazard.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Hazardous reactions : Can react with strong oxidizing agents.

Hazardous decomposition products will be formed at elevated

temperatures.

10.4 Conditions to avoid

Conditions to avoid : None known.

10.5 Incompatible materials

Materials to avoid : Oxidizing agents

10.6 Hazardous decomposition products

Thermal decomposition : Benzoic acid

Benzene

Phenyl benzoate

Biphenyl

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of : Skin contact exposure Ingestion

Eye contact

Acute toxicity

Not classified based on available information.

Components:

Dibenzoyl peroxide:

Acute oral toxicity : LD50 (Mouse): > 2.000 mg/kg

Method: OECD Test Guideline 401

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BASIC WIT-PM 200 - 300 ML (comp. B)

Version Revision Date: SDS Number: Date of last issue: 24.02.2025 20.2 19.03.2025 10622844-00020 Date of first issue: 18.04.2013

Assessment: The substance or mixture has no acute oral tox-

icity

Acute inhalation toxicity : LC0 (Rat): 24,3 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Skin corrosion/irritation

Not classified based on available information.

Components:

Dibenzoyl peroxide:

Species : Rabbit

Result : No skin irritation

Serious eye damage/eye irritation

Causes serious eye irritation.

Components:

Dibenzoyl peroxide:

Result : Irritation to eyes, reversing within 21 days Remarks : Based on national or regional regulation.

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:

Dibenzoyl peroxide:

Test Type : Local lymph node assay (LLNA)

Exposure routes : Skin contact Species : Mouse Result : positive

Assessment : Probability or evidence of skin sensitisation in humans

Germ cell mutagenicity

Not classified based on available information.

Components:

Dibenzoyl peroxide:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)

Result: negative

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BASIC WIT-PM 200 - 300 ML (comp. B)

Version Revision Date: SDS Number: Date of last issue: 24.02.2025 20.2 19.03.2025 10622844-00020 Date of first issue: 18.04.2013

Test Type: In vitro mammalian cell gene mutation test

Method: OECD Test Guideline 476

Result: negative

Test Type: Chromosome aberration test in vitro

Result: negative

Genotoxicity in vivo : Test Type: Mammalian erythrocyte micronucleus test (in vivo

cytogenetic assay) Species: Mouse

Application Route: Intraperitoneal injection

Method: OECD Test Guideline 474

Result: negative

Carcinogenicity

Not classified based on available information.

Components:

Dibenzoyl peroxide:

Species : Rat

Application Route : Skin contact Exposure time : 104 weeks Result : negative

Reproductive toxicity

Not classified based on available information.

Components:

Dibenzoyl peroxide:

Effects on fertility : Test Type: Combined repeated dose toxicity study with the

reproduction/developmental toxicity screening test

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 422

Result: negative

Effects on foetal develop-

ment

Test Type: Embryo-foetal development

Species: Rat

Application Route: Ingestion Method: OECD Test Guideline 414

Result: negative

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BASIC WIT-PM 200 - 300 ML (comp. B)

Version Revision Date: SDS Number: Date of last issue: 24.02.2025 20.2 19.03.2025 10622844-00020 Date of first issue: 18.04.2013

Repeated dose toxicity

Components:

Dibenzoyl peroxide:

Species : Rat
NOAEL : 500 mg/kg
Application Route : Ingestion
Exposure time : 54 Days

Method : OECD Test Guideline 422

Aspiration toxicity

Not classified based on available information.

11.2 Information on other hazards

Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

SECTION 12: Ecological information

12.1 Toxicity

Product:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): > 500 mg/l

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): > 500 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to fish (Chronic tox-

icity)

NOEC: 250 mg/l

Toxicity to daphnia and other :

aquatic invertebrates (Chron-

ic toxicity)

NOEC: 100 mg/l

Ecotoxicology Assessment

Acute aquatic toxicity : No toxicity at the limit of solubility

Chronic aquatic toxicity : No toxicity at the limit of solubility

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BASIC WIT-PM 200 - 300 ML (comp. B)

Version Revision Date: SDS Number: Date of last issue: 24.02.2025 20.2 19.03.2025 10622844-00020 Date of first issue: 18.04.2013

Components:

Dibenzoyl peroxide:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0,0602 mg/l

Exposure time: 96 h

Method: OECD Test Guideline 203

Toxicity to daphnia and other :

aquatic invertebrates

EC50 (Daphnia magna (Water flea)): 0,11 mg/l

Exposure time: 48 h

Method: OECD Test Guideline 202

Toxicity to algae/aquatic

plants

ErC50 (Pseudokirchneriella subcapitata (green algae)):

0,0711 mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

NOEC (Pseudokirchneriella subcapitata (green algae)): 0,02

mg/l

Exposure time: 72 h

Method: OECD Test Guideline 201

M-Factor (Acute aquatic tox-

icity)

10

Toxicity to microorganisms : EC50 : 35 mg/l

Exposure time: 0,5 h

Method: OECD Test Guideline 209

Toxicity to daphnia and other : aquatic invertebrates (Chron-

ic toxicity)

EC10: 0,001 mg/l Exposure time: 21 d

Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211

M-Factor (Chronic aquatic

toxicity)

10

12.2 Persistence and degradability

Components:

Dibenzoyl peroxide:

Biodegradability : Result: Readily biodegradable.

Biodegradation: 71 % Exposure time: 28 d

Method: OECD Test Guideline 301D

12.3 Bioaccumulative potential

Components:

Dibenzoyl peroxide:

Partition coefficient: n- : log Pow: 3,2

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BASIC WIT-PM 200 - 300 ML (comp. B)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.02.2025

 20.2
 19.03.2025
 10622844-00020
 Date of first issue: 18.04.2013

octanol/water

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

Product:

Assessment : This substance/mixture contains no components considered

to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of

0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components consid-

ered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at

levels of 0.1% or higher.

12.7 Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Dispose of in accordance with local regulations.

According to the European Waste Catalogue, Waste Codes

are not product specific, but application specific.

Waste codes should be assigned by the user, preferably in

discussion with the waste disposal authorities.

Do not dispose of waste into sewer.

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

If not otherwise specified: Dispose of as unused product.

Waste Code : The following Waste Codes are only suggestions:

used product

08 04 09*, waste adhesives and sealants containing organic

solvents or other hazardous substances

unused product

08 04 09*, waste adhesives and sealants containing organic

solvents or other hazardous substances

uncleaned packagings

15 01 10*, packaging containing residues of or contaminated

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BASIC WIT-PM 200 - 300 ML (comp. B)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.02.2025

 20.2
 19.03.2025
 10622844-00020
 Date of first issue: 18.04.2013

by hazardous substances

Acc. Packaging Act properly emptied packaging: Properly emptied, non-contaminated packaging of nonhazardous products can be supplied to a system for the col-

lection of sales packaging.

SECTION 14: Transport information

14.1 UN number or ID number

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.2 UN proper shipping name

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.3 Transport hazard class(es)

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA : Not regulated as a dangerous good

14.4 Packing group

ADN : Not regulated as a dangerous good
ADR : Not regulated as a dangerous good
RID : Not regulated as a dangerous good
IMDG : Not regulated as a dangerous good
IATA (Cargo) : Not regulated as a dangerous good
IATA (Passenger) : Not regulated as a dangerous good

14.5 Environmental hazards

Not regulated as a dangerous good

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BASIC WIT-PM 200 - 300 ML (comp. B)

Version **Revision Date:** SDS Number: Date of last issue: 24.02.2025 19.03.2025 10622844-00020 Date of first issue: 18.04.2013 20.2

14.6 Special precautions for user

Not applicable

14.7 Maritime transport in bulk according to IMO instruments

Remarks Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII)

> Substance(s) or mixture(s) are listed here according to their appearance in the regulation, irrespective of their use/purpose or the conditions of the restriction. Please refer to the conditions in corresponding Regulation to determine whether an entry is applicable to the placing on the market or not.

Conditions of restriction for the following entries should be considered: Number on list 75: If you intend to use this product as tattoo ink, please

contact your vendor.

REACH - Candidate List of Substances of Very High

Concern for Authorisation (Article 59).

Not applicable

Regulation (EU) No 2024/590 on substances that de-

plete the ozone layer

Not applicable

Regulation (EU) 2019/1021 on persistent organic pollu-

tants (recast)

Not applicable

Regulation (EU) No 649/2012 of the European Parliament and the Council concerning the export and import

of dangerous chemicals

Not applicable

REACH - List of substances subject to authorisation

Not applicable

(Annex XIV)

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

Not applicable

Water hazard class (Germa-

WGK 2 obviously hazardous to water

ny)

Classification according to AwSV, Annex 1 (5.2)

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BASIC WIT-PM 200 - 300 ML (comp. B)

Version Revision Date: SDS Number: Date of last issue: 24.02.2025 20.2 19.03.2025 10622844-00020 Date of first issue: 18.04.2013

TA Luft List (Germany) : 5.2.5: Organic Substances:

Class 1: 11,29 % Dibenzoyl peroxide 5.2.7.1.1: Quartz fine dust PM4: others: 0,87 % Quartz (SiO2)

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial and

livestock rearing emissions (integrated pollution prevention

and control)

Volatile organic compounds (VOC) content: 4,3 %, 68,4 g/l

Other regulations:

Take note of Directive 94/33/EC on the protection of young people at work or stricter national regulations, where applicable.

15.2 Chemical safety assessment

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

Other information : Items where changes have been made to the previous version

are highlighted in the body of this document by two vertical

lines.

Full text of H-Statements

H241 : Heating may cause a fire or explosion.
H317 : May cause an allergic skin reaction.
H319 : Causes serious eye irritation.

Warn to sin to a graphic life.

H400 : Very toxic to aquatic life.

H410 : Very toxic to aquatic life with long lasting effects.

Full text of other abbreviations

Aquatic Acute : Short-term (acute) aquatic hazard
Aquatic Chronic : Long-term (chronic) aquatic hazard

Eye Irrit. : Eye irritation
Org. Perox. : Organic peroxides
Skin Sens. : Skin sensitisation

2004/37/EC : Europe. Directive 2004/37/EC on the protection of workers

from the risks related to exposure to carcinogens, mutagens

or reprotoxic substances at work - Annex III

DE DFG MAK : Germany. MAK BAT Annex IIa

DE TRGS 900 : Germany. TRGS 900 - Occupational exposure limit values.
DE TRGS 910 : Germany. TRGS 910 - Substance-specific acceptable and

tolerable concentrations and equivalence values for carcino-

genic hazardous substances.

2004/37/EC / TWA : Long term exposure limit

DE DFG MAK / MAK : MAK value

DE TRGS 900 / AGW : Time Weighted Average DE TRGS 910 / Acceptable : Acceptable concentration

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BASIC WIT-PM 200 - 300 ML (comp. B)

Version Revision Date: SDS Number: Date of last issue: 24.02.2025 20.2 19.03.2025 10622844-00020 Date of first issue: 18.04.2013

concentration

DE TRGS 910 / Tolerable

concentration

Tolerable concentration

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA -European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI -Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Sources of key data used to compile the Safety Data Sheet

Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agen-

cy, http://echa.europa.eu/

Classification of the mixture: Classification procedure:

Skin Sens. 1 H317 Calculation method Eye Irrit. 2 H319 Calculation method

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS mate-

according to Regulation (EC) No. 1907/2006, as amended by Commission Regulation (EU) 2020/878



BASIC WIT-PM 200 - 300 ML (comp. B)

 Version
 Revision Date:
 SDS Number:
 Date of last issue: 24.02.2025

 20.2
 19.03.2025
 10622844-00020
 Date of first issue: 18.04.2013

rial is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

DE / EN